



2012 ***ABC & LMSC*** Approved Body Configuration and Late Model Stock Car Body Line **CATALOG**

ABC-specific packages, panels & accessories 4-8, 28

Body mounting dimension guidelines	28
Body packages and panels, greenhouse style	4
Body packages and panels, traditional roof style	6
Cowl Induction Cold Air System	8
Templates	7

LMSC-specific packages, panels & accessories 10-11, 29

Body packages and panels	10
Body mounting dimension guidelines	29
Templates	11

Accessories, universal 12, 18-19

Brake Ducts	18
Car Cover, Mirrors, Pit Mat, Rub Rails	12
Radiator Ducts	19

Body Bracing 16-17, 22, 26-27

Adjustable and Telescoping Braces	26-27
Back-up Plates	26
Body Braces, Custom Bracing	26-27
Door Support	26
Hood Pin Brackets, Hood Pins, Hinges, Hood Prop	16
Nose Braces	17
Window Braces	22

Body Mounting Kits and Tools

Body Mounting Hardware	30
Body Mounting Kits	9
Bumper Mounting Kits	17, 20
Deck Lid hold-down & mounting kits	20-21
DVD, Jig, Tabs, Tubing	25
Roof Locating Fixture & mock-up windows	24

Front End Components & Accessories 14-17

Bumpers & mounting kits	17
Noses, Nose ID graphics	15
Nose screens, plastic primer, wear strips	14

General Information

ABC vs. LMSC: Which body for me?	3
Ordering Information	31
Polycarbonate Windows	23
Tested Tough	13

Rear End Components & Accessories 20-21

Bumpers & mounting kits	20
Rear Bumper Covers & Tail ID graphics	21

Windows, Polycarbonate & Window Accessories 22-23

Window Cleaner, Braces, Installation Kit	22
--	----

OUR WINNING TEAM



WINNERS GALLERY UPDATED WEEKLY during racing season at www.fivestarbodies.com.

WE'VE GOT ROOM FOR YOU ON OUR WINNING TEAM!



AT FIVE STAR RACE CAR BODIES, YOU CAN EXPECT THE BEST!

Read about Five Star's commitment to environmental excellence at www.fivestarbodies.com > Green & Safe

Five Star's commitment to you, our valued customer:

- > We maintain a huge inventory for immediate shipment.
- > We consistently offer uncompromising quality.
- > We provide the ultimate in service.

WE APPRECIATE YOUR BUSINESS and look forward to serving all of your race car body needs!

CATALOG UPDATES

We update our catalogs throughout the year as our product line expands.

YOU CAN ALWAYS VIEW OR PRINT the latest catalog on-line at www.fivestarbodies.com - click Downloads.



ABC

Approved Body Configuration

- Fits Offset/Straight Rail chassis
- 47" roof height
- Maximum tread width: 66"
- Wheelbase: 101-108" (see page 28)
- Called Late Models or Pro Stocks



Plus ARCA West, Rocky Mountain Challenge, Airport Auto Broker Late Models, Texas Super Racing, JEGS Allstar Tour, Big 8, Florida Promoters

LMSC

Late Model Stock Car

- Fits Late Model Stock specific perimeter chassis
- 48" roof height
- Maximum tread width: 65"
- Wheelbase: 101-106"
- Used at many tracks in the Southeast US (TN, NC, SC, VA & WV)



GREENHOUSE ABC BODIES

PACKAGE CONTENTS:

	Re-skin	A	Complete
Aluminum:			
deck lid		✓	✓
doors	✓	✓	✓
Premium hand-laid composite:			
cowl panel		✓	✓
hood		✓	✓
greenhouse, front		✓	✓
greenhouse, rear		✓	✓
Exclusive high-impact plastic:			
fenders for 10" tires*	✓	✓	✓
nose	✓	✓	✓
quarter panels	✓	✓	✓
rear bumper cover	✓	✓	✓
rocker panels	✓	✓	✓
Spoiler:			
5" x 60" x 3/16", 70°			✓
Windows (see note** below):			
mar-resistant windshield			✓
mar-resistant quarter windows			✓
uncoated rear window			✓

*Each ABC plastic fender includes a fender brace (see page 5 for photo).

** Package windows are molded, pre-cut to fit, beveled & drilled, with permanent Black-out Border.

Body Packages	Impala	Fusion	Charger	Camry	Racer
Re-skin Package, white	673-100	593-100	483-100	733-100	\$894.
Package A, white	673-112	593-112	483-112	733-112	1768.
Complete Package, white	673-142	593-142	483-142	733-142	2500.
Re-skin Package, black	B673-100	B593-100	B483-100	B733-100	904.
Package A, black	B673-112	B593-112	B483-112	B733-112	1949.
Complete Package, black	B673-142	B593-142	B483-142	B733-142	2681.

Package Options (see chart at left)

White, from package price

Black, from package price

Fenders, plastic, for 8" tires	\$ 0.	\$ 0.
Fenders, composite, for 8" tires	-18.	+46.
Fenders, composite, for 10" tires	-18.	+46.
Greenhouse, front, lightweight composite	+106.	+122.
Greenhouse, rear, lightweight composite	+198.	+184.
Hood, lightweight composite	+236.	+234.
Quarter Panels, composite	+22.	+84.
Rocker Panels, aluminum	0.	+12.
Spoiler, 6½" x 60" x 1/4", or 55°	0.	0.
Spoiler, black powder-coated brackets	+7.	+7.
Window, rear, mar-resistant	+114.	+114.
Windows, w/o black-out (uncoated quarter windows)	-84.	-84.

Body Components, universal

White

Racer

Black

Racer

Bumper Cover, rear, plastic	460-450W	\$124.	460-450B	\$124.
Cowl Panel, windshield, composite	671-5100	236.	B671-5100	248.
Deck Lid, aluminum	661-310A	50.	B661-310A	53.
Door, aluminum, specify Left or Right	661-21ALorR	81.	B661-21ALorR	86.
Fender, composite, for 8" tires, specify Left or Right	663-230LorR	115.	B663-230LorR	151.
Fender, composite, for 10" tires, specify Left or Right	663-240LorR	115.	B663-240LorR	151.
Fender, plastic, for 8" tires, specify Left or Right	660-23WLorR	126.	660-23BLorR	126.
Fender, plastic, for 10" tires, specify Left or Right	660-24WLorR	126.	660-24BLorR	126.
Greenhouse Section, Front, composite	671-5112	221.	B671-5112	250.
Greenhouse Section, Front, lightweight composite	671-5112L	306.	B671-5112L	349.
Greenhouse Section, Rear, composite	671-5102	286.	B671-5102	317.
Greenhouse Section, Rear, lightweight composite	671-5102L	458.	B671-5102L	475.
Hood, composite, flat	670-3301	168.	B670-3301	279.
Hood, lightweight composite, flat	670-3301L	389.	B670-3301L	488.
Quarter Panel, composite, specify Left or Right	673-270LorR	134.	B673-270LorR	168.
Quarter Panel, plastic, specify Left or Right	670-27WLorR	122.	670-27BLorR	122.
Rocker Panel, aluminum, specify Left or Right	000-5501LorR	32.	B000-5501LorR	39.
Rocker Panel, plastic, fits either side	000-5501PW	32.	000-5501PB	32.
Window, quarter, mar-resistant, black-out border	460-6515BLorR	48.	460-6515BLorR	48.
Window, quarter, uncoated	460-6512LorR	31.	460-6512LorR	31.
Window, rear, mar-resistant	574-6115-3	283.	574-6115-3	283.
Window, rear, mar-resistant, black-out border	574-6115-3B	305.	574-6115-3B	305.
Window, rear, uncoated	574-6111-3	169.	574-6111-3	169.
Window, rear, uncoated, black-out border	574-6111-3B	191.	574-6111-3B	191.
Windshield, pre-cut to fit	564-6325-3	312.	564-6325-3	312.
Windshield, pre-cut to fit, black-out border	564-6325-3B	340.	564-6325-3B	340.
Windshield, pre-cut to fit, black-out border, 3/16"	564-6335-3B	397.	564-6335-3B	397.

Components unique to style

Impala

Fusion

Charger

Camry

Nose, plastic, Black or White	660-410BorW	570-410BorW	470-410BorW	720-410BorW	135.
Template Set, wood	660-82	570-82	470-82	660-82	117.

Spoilers: 60" long

3/16", 5" x 60", 70°

3/16", 5" x 60", 55°

1/4", 6½" x 60", 70°

1/4", 6½" x 60", 55°

with unpainted brackets	661-6747	661-6745	661-6737	661-6735	105.
with black brackets	B661-6747	B661-6745	B661-6737	661-6735	112.

Keep on the Fast Track!
www.FiveStarBodies.com

BODY PACKAGE OPTIONS

ADVANCED LIGHTWEIGHT COMPOSITE HOOD & GREENHOUSE

Stronger and lighter without compromising rigidity.

- Up to 47% weight savings over standard composite panels.
- This is accomplished by utilizing state-of-the-art materials and manufacturing processes.
- What some manufacturers call "lightweight composite" is regular composite material - just less of it! These parts do not retain shape at race speeds. They require additional bracing, which adds weight.
- Precision weight control
- No surface print-through

MOLDED PLASTIC FENDERS

Last longer than composite fenders!

- Manufactured in white or black exclusive high-impact plastic and can be painted. (For best results, use Five Star Plastic Primer.)
- Fit all current body styles (up to 106" wheelbase).
- Each fender includes a 1/2" square fender brace.
- Available in 2 sizes to meet your requirements:

Fenders for 10" Tires:

- Provides improved tire clearance for 66" tread width and soft spring set-up.
- Maximum allowed width
- Molded plastic (standard) or composite (optional).

Fenders for 8" Tires:

- Required by ACT Series Rules
- Available as a package option in molded plastic or composite.

POLYCARBONATE ABC SPOILERS

As specified by ABC rules!

- 2 piece polycarbonate blade with 2 piece re-designed aluminum bracket, your choice of unpainted or black powder-coated
- Your choice of 55 or 70 degree angle
- Standard ABC spoiler: 5" tall x 60" long x 3/16" thick
Optional ABC spoiler: 6-1/2" tall x 60" long x 1/4" thick

Dimensions	Complete Spoiler		Brackets		Polycarbonate Blades: \$30.
	unpainted: \$105.	black: \$112.	unpainted: \$75.	black: \$82.	
3/16", 5" x 60", 70°	661-6747	B661-6747	661-6737-1	B661-6737-1	661-6747-2
3/16", 5" x 60", 55°	661-6745	B661-6745	661-6735-1	B661-6735-1	661-6745-2
1/4", 6 1/2" x 60", 70°	661-6737	B661-6737	661-6737-1	B661-6737-1	661-6737-2
1/4", 6 1/2" x 60", 55°	661-6735	B661-6735	661-6735-1	B661-6735-1	661-6737-2



FENDER BRACE included with each ABC or LMSC plastic fender.



Spoiler Mounting Hardware shown is on page 11.
Adjustable Body Braces shown are on page 26.



TRADITIONAL ROOF ABC BODIES

PACKAGE CONTENTS:

Re-skin A Complete

Aluminum:

deck lid		✓	✓
doors	✓	✓	✓

Premium hand-laid composite:

cowl panel		✓	✓
deck lid filler panel		✓	✓
hood		✓	✓
quarter panels	✓	✓	✓
roof		✓	✓

Exclusive high-impact plastic:

fenders for 10" tires*	✓	✓	✓
nose	✓	✓	✓
rear bumper cover	✓	✓	✓
rocker panels	✓	✓	✓

Spoiler:

5" x 60" x 3/16", 70°			✓
-----------------------	--	--	---

Windows (see note** below):

mar-resistant windshield			✓
mar-resistant quarter windows			✓
uncoated rear window			✓

*Each ABC plastic fender includes a fender brace (see page 5 for photo).

** Package windows are molded, pre-cut to fit, beveled & drilled, with permanent Black-out Border.

Body Packages	Impala	Fusion	Charger	Camry	Racer
Re-skin Package, white	663-100	583-100	473-100	723-100	\$946.
Package A, white	663-112	583-112	473-112	723-112	1649.
Complete Package, white	663-142	583-142	473-142	723-142	2381.
Re-skin Package, black	B663-100	B583-100	B473-100	B723-100	1042.
Package A, black	B663-112	B583-112	B473-112	B723-112	1894.
Complete Package, black	B663-142	B583-142	B473-142	B723-142	2626.

Package Options (see chart at left)

White, from package price

Black, from package price

Fenders, plastic, for 8" tires	\$ 0.	\$ 0.
Fenders, composite, for 8" tires	-18.	+46.
Fenders, composite, for 10" tires	-18.	+46.
Hood, lightweight composite	+236.	+234.
Rocker Panels, aluminum	0.	+12.
Roof, lightweight composite	+170.	+182.
Spoiler, 6½" x 60" x 1/4", or 55°	0.	0.
Spoiler, black powder-coated brackets	+7.	+7.
Window, rear, mar-resistant	+114.	+114.
Windows, w/o black-out (uncoated quarter windows)	-84.	-84.

Body Components, universal

White

Racer

Black

Racer

Bumper Cover, rear, plastic	460-450W	\$124.	460-450B	\$124.
Cowl Panel, windshield, composite	671-5100	236.	B671-5100	248.
Deck Lid, aluminum	661-310A	50.	B661-310A	53.
Deck Lid Filler Panel, composite	661-3200	105.	B661-3200	109.
Door, aluminum, specify Left or Right	661-21ALorR	81.	B661-21ALorR	86.
Fender, composite, for 8" tires, specify Left or Right	663-230LorR	115.	B663-230LorR	151.
Fender, composite, for 10" tires, specify Left or Right	663-240LorR	115.	B663-240LorR	151.
Fender, plastic, for 8" tires, specify Left or Right	660-23WLorR	126.	660-23BLorR	126.
Fender, plastic, for 10" tires, specify Left or Right	660-24WLorR	126.	660-24BLorR	126.
Hood, composite, flat	670-3301	168.	B670-3301	279.
Hood, lightweight composite, flat	670-3301L	389.	B670-3301L	488.
Rocker Panel, aluminum, specify Left or Right	000-5501LorR	32.	B000-5501LorR	39.
Rocker Panel, plastic, fits either side	000-5501PW	32.	000-5501PB	32.
Roof, composite	661-5102	215.	B661-5102	248.
Roof, lightweight composite	661-5102L	364.	B661-5102L	408.
Windshield, pre-cut to fit	564-6325-3	312.	564-6325-3	312.
Windshield, pre-cut to fit, black-out border	564-6325-3B	340.	564-6325-3B	340.
Windshield, pre-cut to fit, black-out border, 3/16"	564-6335-3B	397.	564-6335-3B	397.

Components unique to style

Impala

Fusion

Charger

Camry

Nose, plastic, specify Black or White	660-410BorW	570-410BorW	470-410BorW	720-410BorW	135.
Quarter Panel, composite, black	B663-270LorR	B463-270LorR	B473-270LorR	B723-270LorR	198.
Quarter Panel, composite, white	663-270LorR	463-270LorR	473-270LorR	723-270LorR	150.
Template Set, wood	660-82	570-82	470-82	660-82	117.
Window, quarter, mar-resistant, black-out border	660-6515BLorR	460-6515BLorR	470-6515BLorR	720-6515BLorR	48.
Window, quarter, uncoated	660-6512LorR	460-6512LorR	470-6512LorR	720-6512LorR	31.
Window, rear, mar-resistant	564-6115-3	574-6115-3	574-6115-3	574-6115-3	283.
Window, rear, mar-resistant, black-out border	564-6115-3B	574-6115-3B	574-6115-3B	574-6115-3B	305.
Window, rear, uncoated	324-6111-3	574-6111-3	574-6111-3	574-6111-3	169.
Window, rear, uncoated, black-out border	324-6111-3B	574-6111-3B	574-6111-3B	574-6111-3B	191.
Spoilers: 60" long	3/16", 5", 70°	3/16", 5", 55°	1/4", 6½", 70°	1/4", 6½", 55°	
with unpainted brackets	661-6747	661-6745	661-6737	661-6735	105.
with black brackets	B661-6747	B661-6745	B661-6737	661-6735	112.

Older ABC replacement
panels are on-line at:
www.FiveStarBodies.com

COMPLETE TEMPLATE SETS

Impala/Camry: PN 660-82 | Fusion: PN 570-82 | Charger: PN 470-82 | \$117. per set

INCLUDES: nose centerline, body centerline, left & right fenders and roof side-to-side rear templates.
(Optional nose side-to side and roof side-to-side front templates are available separately.)

NOSE CENTERLINE TEMPLATE

Impala/Camry: 660-82N | Fusion: PN 570-82N | Charger: PN 470-82N | \$18.

PLACEMENT: centerline nose to windshield base

BODY CENTERLINE TEMPLATE

PN 660-82C | Universal Fit | \$40.

PLACEMENT: windshield base to rear bumper cover

ROOF SIDE-TO-SIDE REAR TEMPLATE

PN 660-82S | Universal Fit | \$21.

PLACEMENT: 90° to roof at top of rear window.

FENDER TEMPLATES

Impala/Charger/Camry: 660-82FLorR | Fusion: PN 570-82FLorR | \$19. /side

NOSE SIDE-TO-SIDE TEMPLATE

PN 672-82NS | Universal Fit | \$40.

PLACEMENT: on the nose along the bumper line (see p. 11, B-3).

ROOF SIDE-TO-SIDE FRONT TEMPLATE

PN 660-82W | Universal Fit | \$19.

PLACEMENT: 90° to roof at top of windshield.



ABC RULEBOOK

Free!

- Details every aspect of the body, including body styles, body panels, spoilers, windows, front & rear overhangs, roof height, proper placement of templates, and more.
- Download from www.abcbodies.com

THE OFFICIAL REFEREE

PN TT-100-00 | \$700.

- Used by tracks & associations throughout North America for ABC body tech inspection.
- Easy to use.
- Checks seven major points on a race car body.
- Designed by, and exclusively available through Five Star.
- Includes a Tech Inspector's checklist.

NOT NECESSARY FOR mounting a body. A body can be easily installed within specs by using the body dimension sheet and templates.



COWL INDUCTION COLD AIR BOXES

ALL NEW ANGLED 4 BBL & OFFSET 2 BBL BOXES



PATENTED ADAPTER RING



000-5243



000-5224




000-5220

ROUND AIR FILTER

(not included) to show fit in 000-5220 air box.



HEAT SHIELD shown installed on underside of 000-5224 base.



COWL INDUCTION **COLD AIR BOX**

PN 000-5240	4 bbl., 0° angle	\$360.
PN 000-5243	4 bbl., 3° angle (standard)	360.
PN 000-5246	4 bbl., 6° angle	360.
PN 000-5224	2 bbl., standard	300.
PN 000-5220	2 bbl., 1½" offset	300.

Standard features (all air box styles):

- Ultra lightweight, strong and durable composite construction.
- Extensive flow bench testing for peak air flow efficiency
- Maximum airflow using air filters as short as 3" without cfm loss
- Increased distributor & under hood clearance
- Fits a 14" filter element
- Designed to mate with updated Cowl Air Deflector PN 000-5200A.

NEW 4 barrel air boxes:

- Your choice of 3 angles to ensure a proper, level fit on your engine.
- These boxes feature a patented machined adaptor ring for cleaner airflow, better fit & durability.
- To determine the air box angle you need:
 - Set your car at proper ride height
 - Place an angle finder on your carburetor.
 - Choose the angle closest to making air box level.

NEW Offset 2 barrel air box:

- Offset 2 bbl. air box is for engines with a larger setback.
- Designed to position the air filter farther forward for optimal flow without obstructing the cowl opening.
- Uses standard round 14" filter element.

A HUGE & NOTICEABLE GAIN over all other air boxes ever made!

COLD AIR BOX **HEAT SHIELD**

PN 000-52HS	cut to fit all air box styles	\$32.
-------------	-------------------------------	-------

- Light-duty reflective film with fiberglass backing for tear-resistance
- Self-adhesive backing: easy to apply and remove
- Weighs less than 4 ounces.

REFLECTS AT LEAST 90% of the radiant heat from your engine, up to 500°F!

COMPOSITE **AIR DEFLECTOR**

PN 000-5200A	fits all air box styles on this page	\$51.
--------------	--------------------------------------	-------

- Additional deflector required when switching from 2 bbl to 4 bbl carb.
- Old style 51-series air boxes fit PN 000-5100A deflector.

ADJUSTABLE **COWL AIR INSERT**

PN 661-5100A	white, fits all ABC bodies	\$32.
PN B661-5100A	black, fits all ABC bodies	34.

REPLACEMENT PART (included with S2 & ABC cowl panels).

YOU SAVE 10%


OFF RETAIL PRICE OF INDIVIDUAL PARTS!

BODY MOUNTING KITS

BASIC BODY MOUNTING KIT

PN 800-3B | Includes items shown & listed below | \$384.

- Braces, body, adjustable (2 packages of 2, PN 807-3, page 26)
- Brace Kit, rear window (PN 674-6101, page 22)
- Brace Kit, windshield (PN 564-6301, page 22)
- Bumper, front, .065" steel, 1 3/4" round (PN 660-7103, page 17)
- Bumper, rear (PN 570-7503, page 20)
- Deck Lid Hold-down Kit (PN 000-310H, page 20)
- Hood Pin Bracket, standard (PN xx0-410-HPB, page 16)
- Hood Pin Kit, 1/2" pins (PN 803, page 16)
- Rear Deck Mounting Kit (PN 660-450-RDK, page 21)
- Screen, nose, stainless steel, 3/16" spacing (PN 660-411-SCR, page 14)
- Window Installation Kit (PN 805, page 22)
- Windows, Door Vent (PN 000-6202, page 22)



BASIC BODY MOUNTING KIT OPTIONS:

Description	PN, page #	Add to package price
Braces, body, adj. (add'l. pkg of 2 for ABC.)	807-3, page 26	+\$29.
Bumper, front, .095" steel, 1 3/4" round	660-7103B, page 17	0.
Bumper, front, .095" steel, w/12" wraparound	660-7103C, page 17	+7.
Hood Pin Bracket, 3/4"	xx0-411-HPB, page 16	+3.
Hood Pin Kit, 3/8" pins	803-A, page 16	0.
Screen, nose, 1/4" spacing	660-412-SCR, page 14	0.
Screen, nose, black 3/16" spacing	B660-411-SCR, page 14	+5.
Screen, nose, black 1/4" spacing	B660-412-SCR, page 14	+5.

Recommended & commonly used for new ABC & LMSC body installations.


DELUXE BODY MOUNTING KIT

PN 800-3D | Basic Kit PLUS all items shown & listed below | \$751.

- Body Braces, polycarbonate (PN 804, page 26)
- Body Braces, telescoping (PN 860, page 27)
- Bracing, custom: Threaded End Assembly (#3, PN 807-2, page 27)
- Bracing, custom: Tubing Kit (PN 807-1, page 27)
- Graphics, Nose ID kit (specify body style, page 13)
- Graphics, Tail ID kit (specify body style, page 21)
- Mounting Kit, front bumper, adjustable (PN 802-5, page 17)
- Mounting Kit, rear bumper, standard (PN 802-2, page 20)
- Nose Braces (PN 000-500, page 17)
- Wear Strip Attaching Kit (PN 000-400K, page 14)
- Wear Strips (000-400-color, page 14)

DELUXE BODY MOUNTING KIT OPTIONS:

Description	PN, page #	Add to package price
Door Support (ABC only)	000-2102, page 26	+\$19.
Mounting Kit, rear bumper, adjustable	802-2S, page 20	0.



PACKAGE CONTENTS:

	Re-skin	A	Complete
Aluminum:			
deck lid		✓	✓
doors	✓	✓	✓
Premium hand-laid composite:			
hood		✓	✓
greenhouse, front		✓	✓
greenhouse, rear		✓	✓
Exclusive high-impact plastic:			
fenders, high clearance*	✓	✓	✓
nose	✓	✓	✓
quarter panels	✓	✓	✓
rear bumper cover	✓	✓	✓
rocker panels	✓	✓	✓
Spoiler:			
5" x 54" x 1/8", 55°			✓
Windows (see note** below):			
mar-resistant windshield			✓
mar-resistant quarter windows			✓
uncoated rear window			✓

*Each LMSC plastic fender includes a fender brace (see page 5 for photo).

** Package windows are molded, pre-cut to fit, beveled & drilled, with permanent Black-out Border.

Body Packages	Impala	Fusion	Charger	Camry	Racer
Re-skin Package, white	672-100	592-100	482-100	732-100	\$894.
Package A, white	672-112	592-112	482-112	732-112	1555.
Complete Package, white	672-142	592-142	482-142	732-142	2274.
Re-skin Package, black	B672-100	B592-100	B482-100	B732-100	904.
Package A, black	B672-112	B592-112	B482-112	B732-112	1729.
Complete Package, black	B672-142	B592-142	B482-142	B732-142	2448.

Package Options (see chart at left)

White, from package price

Black, from package price

Fenders, composite, (high clearance or old/narrow)	\$ -18.	\$ +46.
Quarter Panels, composite	+22.	+84.
Rocker Panels, aluminum	+0.	+12.
Rocker Panels, wraparound lower area, aluminum	+22.	+38.
Spoiler, aluminum, black *	+4.	+4.
Spoiler, polycarbonate *	+13.	+13.
Spoiler, polycarbonate, black brackets *	+20.	+20.
Window, rear, mar-resistant *	+114.	+114.
Windows, without black-outs (uncoated quarter windows) *	-84.	-84.

Body Components, universal

White

Racer

Black

Racer

Bumper Cover, rear, plastic	460-450W	\$124.	460-450B	\$124.
Deck Lid, aluminum	661-310A	50.	B661-310A	53.
Door, alum., for wide clearance fenders, specify Left or Right	672-22ALorR	81.	B672-22ALorR	86.
Door, aluminum, for narrow fenders, specify Left or Right	672-21ALorR	81.	B672-21ALorR	86.
Fender, plastic, high clearance, specify Left or Right	662-24WlorR	126.	662-24BLorR	126.
Fender, composite, high clearance, specify Left or Right	672-240LorR	115.	B672-240LorR	151.
Fender, composite, old style, narrow, specify Left or Right	672-230LorR	115.	B672-230LorR	151.
Greenhouse Section, Front, composite	672-5112	223.	B672-5112	254.
Greenhouse Section, Rear, composite	592-5102	286.	B592-5102	317.
Hood, composite, flat	672-3301	168.	B672-3301	279.
Quarter Panel, composite, specify Left or Right	672-270LorR	134.	B672-270LorR	168.
Quarter Panel, plastic, specify Left or Right	672-27WlorR	122.	672-27BLorR	122.
Rocker Panel, aluminum, specify Left or Right	000-5501LorR	32.	B000-5501LorR	39.
Rocker Panel, plastic, fits either side	000-5501PW	32.	000-5501PB	32.
Rocker Panel, wraparound lower area, aluminum	000-5503A	44.	B000-5503A	54.
Spoiler, 2 piece, 1/8" aluminum, 5" x 54", 55°	672-6715	92.	672-6715	92.
Spoiler, 2 piece, 1/8" aluminum, 5" x 54", 55°, black	B672-6715	96.	B672-6715	96.
Spoiler, 4 piece, 1/4" polycarbonate blade, 5" x 54", 55°	672-6735	105.	672-6735	105.
Spoiler, 4 piece, 1/4" polycarbonate blade, 5" x 54", 55°, black	B672-6735	112.	B672-6735	112.
Window, quarter, molded, mar-res., black-out border	460-6515BLorR	48.	460-6515BLorR	48.
Window, quarter, molded, uncoated, pre-cut to fit	460-6512LorR	31.	460-6512LorR	31.
Windows, quarter, pair, flat, uncoated, trimmed	460-6502	33.	460-6502	33.
Window, rear, mar-resistant, oversize	564-6115-1	258.	564-6115-1	258.
Window, rear, mar-resistant, pre-cut to fit	674-6115-2	283.	674-6115-2	283.
Window, rear, mar-resistant, pre-cut to fit, black-out border	674-6115-2B	305.	674-6115-2B	305.
Window, rear, uncoated, oversize	324-6111-1	144.	324-6111-1	144.
Window, rear, uncoated, pre-cut to fit	674-6111-2	169.	674-6111-2	169.
Window, rear, uncoated, pre-cut to fit, black-out border	674-6111-2B	191.	674-6111-2B	191.
Windshield, oversize, fits all LMSC bodies	564-6325-1	287.	564-6325-1	287.
Windshield, pre-cut to fit	674-6325-2	312.	674-6325-2	312.
Windshield, pre-cut to fit, black-out border	674-6325-2B	340.	674-6325-2B	340.
Windshield, pre-cut to fit, 3/16"	674-6335-2	369.	674-6335-2	369.

Components unique to body style

Impala

Fusion

Charger

Camry


Nose, plastic, specify Black or White	660-410BorW	570-410BorW	470-410BorW	720-410BorW	135.
Screen, nose, upper, 3/16" spacing	66A-413-SCR	570-413-SCR	---	720-413-SCR	51.
Template Set, wood	672-82	592-82	482-82	672-82	174.

Keep on the Fast Track:
www.FiveStarBodies.com

LMSC COMPLETE TEMPLATE SETS

Impala/Camry: PN 672-82 | Fusion: PN 592-82 | Charger: PN 482-82 | \$174. per set

INCLUDES: all 7 templates (constructed from 1/2" plywood) shown on this page. Must ship truck freight.



TEMPLATE A

PN 672-82C | Universal Fit | \$40.

BODY CENTERLINE windshield base to rear bumper cover

TEMPLATE B

Impala/Camry: 672-82N | Fusion: PN 592-82N | Charger: PN 482-82N | \$18.

CENTERLINE NOSE to windshield base

TEMPLATE B-3

PN 672-82NS | Universal Fit | \$40.

NOSE SIDE-TO-SIDE placed on the nose along the bumper line.

TEMPLATE DL

Impala/Charger/Camry: 672-82FL | Fusion: PN 592-82FL | \$19.

FENDER TEMPLATE, LEFT located 23 7/8" from centerline.

TEMPLATE DR

Impala/Charger/Camry: 672-82FR | Fusion: PN 592-82FR | \$19.

FENDER TEMPLATE, RIGHT located 26 1/2" from centerline.

TEMPLATE G

PN 672-82S | Universal Fit | \$21.

ROOF SIDE-TO-SIDE REAR 90° to roof at top of rear window.


TEMPLATE H

PN 672-82R | Universal Fit | \$17.

REAR WINDOW 90° to window, 16" down from top

LMSC SPOILERS

Typical installation shown



LMSC SPOILERS

	UNPAINTED	BLACK
Standard aluminum	PN 672-6715: \$92.	PN B672-6715: \$96.
Optional polycarbonate	PN 672-6735: \$105.	PN B672-6735: \$112.

- Universal fit
- 5" x 54", 55 degrees
- Standard: 1/8" thick aluminum blades welded to aluminum brackets, available unpainted or with a black powder-coat.
- Optional: 1/4" thick polycarbonate blades bolt onto aluminum brackets, brackets are available unpainted or with a black powder-coat.
- Replacement brackets and blades for optional LMSC spoiler are available individually on-line: www.fivestarbodies.com

SPOILER MOUNTING KIT

PN 000-67K | Ultra-light weight 76 piece kit | \$31.

- Everything needed to cleanly mount the polycarbonate spoiler blade to the bracket and the bracket to the bumper cover
- 32 machined washers are tapered for extra strength.
- Mounting instructions included with kit.




GREENHOUSE CAR COVER

PN 000-51CVR | \$199.

- > Fits all ABC & LMSC body styles.
- > Fastens quickly - securely - tightly.
- > Easier to use & handle than a full length car cover.
- > Stores in minimal space.
- > Heavy-duty exterior
- > Soft-backed interior
- > Made in the USA

MULTI-USE: rain or shine and even in extreme heat. Keeps interior clean.



WIDE ANGLE RACING MIRRORS

PN 820-S	Split view	\$72.
PN 820	Curved	72.
PN 820-F	Flat	72.
PN 820-B	Replacement bracket	9.

- > Included bracket kit makes installation easy on any chassis.
- > Shatter-proof polycarbonate
- > Heavy-duty frame
- > 17 $\frac{3}{4}$ " x 3" & 1 lb.

Split View Mirror has the above features PLUS:

- > Two flat mirrors result in distortion-free optics.
- > Angle break (split) in the middle is adjustable: bend to widen your range of visibility.

MOUNT DIRECTLY OVERHEAD for a Wide Angle view of the competition.

POLYCARBONATE RUB RAIL

PN 000-2100 | Save your vinyl graphics! | \$25. each

- > Attach with rivets to side of body to help eliminate tire marks on fenders, doors & quarter panels.
- > 75" long. You cut to fit.

CLEAR POLYCARBONATE protects your graphics, but does not hide them.

LOW SLIDER PIT MAT


PN 808 | 40" x 72" | \$22.

- > Durable high-impact plastic
- > Oil and gas resistant
- > White color provides good visibility for small parts and tools
- > Built-in handles for easy use

A COMFORTABLE FLAT SURFACE for working on uneven or rocky ground.



MORE TIME RACING... LESS MONEY REPLACING!



*"I've run this car in 150 races
got over 5 years of hard racing.
Same Five Star Nose,
Same Five Star Fenders!"*

Donny Reuvers, Dundas MN

VIDEO CLIPS

Go to-
www.fivestarbodies.com
to see videos of us trying
to destroy our body panels!


TESTED TOUGH

THE TOUGHEST AND LONGEST LASTING BODIES!

PLASTIC WEAR STRIPS

PN 000-400-color | full color | \$30. per pair

- Protect the lower edge of your nose in style!
- Ready to install with Five Star's Wear Strip Attaching Kit.
- Available in 10 colors, as shown below.



Neon Bright Red
Neon Lime Green
Chevron Blue
Neon Blaze Orange
Neon Fluorescent Yellow
Red
Black
Yellow
Orange
White

WEAR STRIP ATTACHING KITS

PN 000-400K	25 sets: full installation	\$53.
PN 000-400K10	10 sets: replace one wear strip	25.

Each set includes 4 light weight pieces:

- machined outer washer
- tapered inner washer
- flathead bolt
- lock-nut



PLASTIC PRIMER

PN 842 | 16 oz. can | \$17.

- Specially formulated to eliminate paint flaking or peeling.
- Promotes paint adhesion to all Five Star plastic components.
- 2 cans = 2 coats on:
 - nose
 - bumper cover
 - both fenders
 - both quarter panels
 - both rocker panels



TECH TIP:

If you are going to paint your plastic panels, you must use Five Star Plastic Primer & no other!

There are plenty of primers on the market but the plastic used in our parts is not the same plastic as used elsewhere in the automotive industry.


USING ANY OTHER PRIMER WILL RESULT IN SEVERE PAINT FLAKING!

So before you paint, be sure you have your Five Star Primer, follow the directions on the can precisely and say goodbye to any paint adhesion problems.

LOWER NOSE SCREENS

PN 660-412-SCR	1/4" mesh, unpainted	\$47.
PN 660-411-SCR	3/16" mesh, unpainted	47.
PN B660-412-SCR	1/4" mesh, black	52.
PN B660-411-SCR	3/16" mesh, black	52.

- Fits all current ABC & LMSC styles
- Frame is CNC-machined from quality aluminum.
- Screen is high strength stainless steel.
- Available unpainted or with durable satin black powder-coat finish





NO OTHER NOSE can withstand the rigors of racing like Five Star's Exclusive High-impact Plastic noses. We have the videos to prove it at www.fivestarbodies.com and on our YouTube channel!

HIGH-IMPACT PLASTIC NOSES

- Most styles are available in black or white.
- Unsurpassed impact resistance and durability
- Smooth finish for excellent paint adhesion with Five Star Plastic Primer.

CHEVY IMPALA

PN 670-410BorW	Nose, Black or White	\$135.
PN 670-410-ID	Nose ID Graphics Kit	32.

NOSE SCREEN & WEAR STRIPS SHOWN sold separately.

FORD FUSION

PN 570-410BorW	Nose (Black or White)	\$135.
PN 590-410-ID	Nose ID Graphics Kit	32.

NOSE SCREEN SHOWN sold separately.

DODGE CHARGER

PN 470-410BorW	Nose (Black or White)	\$135.
PN 470-410-ID	Nose ID Graphics Kit	32.

NOSE SCREEN SHOWN sold separately.

TOYOTA CAMRY

PN 720-410BorW	Nose (Black or White)	\$135.
PN 720-410-ID	Nose ID Graphics Kit	32.

NOSE SCREEN SHOWN sold separately.

NOSE ID GRAPHICS KITS

- Sandblast & chemical resistant
- Most aggressive adhesive
- Laminated protective coating




GRAPHICS KIT CONTENTS are subject to change.

TECH TIP:

- Dampen the back of the graphic to allow positioning
- Use a squeegee to gently force out air bubbles as you apply the graphics.
- Light heat from a heat gun allows better fitting around sharp edges & curves.



FRONT END



HOOD PIN BRACKETS

PN 570-410-HPB (Fusion)	1/2" O.D.	\$26.
PN 660-410-HPB (all others)	1/2" O.D.	26.
PN 570-411-HPB (Fusion)	3/4" O.D.	29.
PN 660-411-HPB (all others)	3/4" O.D.	29.

- Includes 5 tabs for 5 hood pins.
- Will work for both 1/2" & 3/8" hood pins
- Preformed to fit the top of the nose to meet templates.

HOOD PIN KITS

PN 803-A	Kit with 3/8" pins	\$30.
PN 803	Kit with 1/2" pins	30.
PN 803-I	Threaded bushings	9.
PN 803-PS	Scuff plate, aluminum	1.

- Pins fit into hood pin bracket & are secured with jam nuts.
- Flip-over style prevents clips from falling out.

Each kit includes:

- Five aluminum pins (3/8" or 1/2" diameter)
- Five aluminum scuff plates
- Five flip-over steel clips
- Ten jam nuts



UNIVERSAL HINGE KIT

PN 000-33H	includes pin & clip assembly	\$10.00 each
PN 000-33HP	replacement pin & clip assembly	2.20

- Two hinge kits are required to complete the installation of a hood.
- Fabricated from quality aluminum stock
- Designed for easy installation on all Five Star bodies
- If you are not using hood hinges to mount the back of your hood, we recommend using 2 hood pin kits.

COWL HOOD PIN BRACKETS

PN 000-510	4 lightweight CNC-machined aluminum tabs	\$12.
------------	--	-------

- Included with all Windshield Cowl Panels.
- Holds hood flat along windshield cowl for a positive seal
- Tabs fit along flange of windshield cowl panel. Fasten w/screws or rivets.
- Kit does not contain actual hood pins. Use PN 803 or 803-A (above).

TECH TIP:

Custom Bracing components are ideal for bracing the windshield cowl (see page 27).



HOOD PROP

PN 000-3400	2 needed for hood installation	\$42. each
-------------	--------------------------------	------------

- Perfect when used with a pair of Hood Hinges.
- Lightweight
- Durable
- Strong



FORMED FRONT BUMPERS

PN 660-7103	.065" steel	\$30.
PN 660-7103B	.095" steel	30.
PN 660-7103C	.095" steel, 12" wraparound	37.

- All Five Star bumpers have the genuine Five Star logo. Do not accept imitations!
- Formed from 1 $\frac{3}{4}$ " round steel tubing
- Exactly contoured to the insides of our plastic noses for maximum protection, ease of installation & a finished appearance.




FRONT BUMPER MOUNTING KIT

PN 802-5	height-adjustable by hand	\$52.
----------	---------------------------	-------

Kit includes:

- two 3 foot sections of 3/4" round tubing
- four clevis, eye bolt & nut assemblies
- 2 pieces pre-notched, lightweight .065" tubing: 1 $\frac{1}{2}$ " square x 3' long
- Flat stock (for end caps)
- 1/2" nuts & bolts
- Pivoting chassis mount



SIMPLY TURN THE ROUND TUBES BY HAND to make fine adjustments to front bumper height in order to meet critical dimensions:

1. Loosen the nuts on either end of the 3/4" round tubing.
2. Hand-turn the round tubing to raise or lower the bumper.




NOSE BRACES

PN 000-500	pair	\$37.
------------	------	-------

- CNC Laser Cut Aluminum
- 62% lighter than others, and less than half the price!
- Pre-drilled for riveting to nose and for mounting body bracing.
- Mount to inside of wear strips with Five Star's Wear Strip Attaching Kit (see page 14).
- Works great with Five Star's Telescoping Body Brace Kit (PN 860, page 27 - shown at left).

BRAKE DUCT SYSTEM



MOLDED PLASTIC BRAKE DUCT KIT

PN 000-412D | Universal Fit | \$28.

- > Universal fit
- > Designed to fit nose at correct angle.
- > Strong stainless steel keeps debris out.
- > Can fit 3" or 4" tubing.
- > Kit includes pre-cut stainless steel screen, rivets and washers.

MAXIMUM AIR FLOW: 12.6" of air flow with one 4" tube - 80% more square inches than a 3" diameter tube!



SPINDLE-MOUNTED BRAKE DUCT

PN 000-420DAx | Specify x=L(ef) or R(ight) | \$58.

- > Lightweight aluminum
- > Flanged to fit 4" tubing.
- > 80% more square inches than 3" tubing.
- > Engineered to proper flange angle to eliminate interference with tire.



Standard Temperature (Neoprene) Hose



High Temperature (Silicon) Hose

WIRE-REINFORCED BRAKE COOLING HOSE

PN	Material	Temp. Rating	Diameter	Length	Racer
000-325ST	Neoprene	350° F	3"	10'	\$66.
000-425ST	Neoprene	350° F	4"	10'	80.
000-325HT	Silicon	600° F	3"	11'	107.
000-425HT	Silicon	600° F	4"	11'	127.




COOLING HOSE CONNECTOR

PN 000-425 | For 4" diameter brake hose only. | \$34.

- > Support allows clearance for hose (eliminates interference with tire).
- > Minimizes required length of high temperature hose.
- > Allows the use of less-costly hose to nose.

CONNECTOR RIVETS OR CLAMPS onto Front Bumper Mounting Kit.

RADIATOR DUCTS



PLASTIC RADIATOR DUCT

PN 000-408 | Universal fit | \$169.

- > 6 piece design fits to any radiator offset, width and angle
Individual replacement pieces are available upon request.
- > Unsurpassed durability
- > Can ship by parcel carriers
- > Access panel for easy debris cleanout
- > 100% positive seal to grill screen opening
- > Easy to install!



EFFICIENT COOLING allows for less radiator air intake opening, resulting in increased front downforce!

INSTALLATION INSTRUCTIONS are available on-line at www.fivestarbodies.com - Click Downloads > Installation Tips & Videos.

BUMP 'N RUN DUCT

See chart for PN | Size by radiator core (not cooling tank) | \$129.

- > Light weight and built to last
- > Saves radiators
- > Includes Nose Air Inlet Extension (replaces aluminum nose frame).
- > Efficient air flow cools radiator.

THIS FLEXIBLE RADIATOR DUCTWORK retains 100% functionality even after a hit!

ABC-style

000-409-1	Griffin, core size 22 ³ / ₈ " x 17 ¹ / ₈ "
000-409-2	Howe, core size 24 ¹ / ₄ " x 18 ¹ / ₂ "
000-409-3	Howe, core size 22 ¹ / ₄ " x 18 ³ / ₄ "
000-409-4	C & R, core size 22 ¹ / ₄ " x 17 ³ / ₄ "
000-409-5	C & R, core size 24 ¹ / ₄ " x 17 ³ / ₄ "
000-409-6	Core size 27 ¹ / ₄ " x 18 ¹ / ₂ "

LMSC-style

672-409-6	Core size 27 ¹ / ₄ " x 18 ¹ / ₂ "
-----------	---



NOSE AIR INLET EXTENSION

PN 000-409-NP | \$27.

- > Included with both the C5 Radiator Duct and the Bump 'N Run Duct.
- > Increases rigidity of the nose

IDEAL FOR RACERS WHO BUILD their own aluminum radiator box.

FORMED REAR BUMPER

PN 570-7503 | fits all current ABC & LMSC styles | \$30.

- > All Five Star bumpers have the genuine Five Star logo. Do not accept imitations!
- > Formed from 1 3/4" round .065" steel tubing
- > Exactly contoured to the insides of our plastic rear bumper covers for maximum protection, ease of installation & a finished appearance.

HEIGHT-ADJUSTABLE

REAR BUMPER MOUNTING KIT

PN 802-2S | An improved way to mount your rear bumper | \$18.

This kit contains everything you need to mount a rear bumper:

- > Two clevis parts
- > Two 5/16" bolts
- > Two 5/16" nuts
- > Two end caps
- > a 36" length of 1.5" square tubing

THIS UNIVERSAL KIT allows several different mounting options. It pivots to allow precise adjustments to the height of the rear bumper cover.

NON-ADJUSTABLE

REAR BUMPER MOUNTING KIT

PN 802-2 | \$18.

This kit contains everything you need to make your rear bumper a bolt-on component:

- > Two pieces pre-notched, lightweight tubing: 1 3/4" round x 3' long, .065" thickness
- > 2" square .120" thick tubing
- > 5/16" hex bolts and nuts

DECK LID HOLD-DOWN KIT

PN 000-310H | Can be trimmed to fit any body style. | \$16.

- > Aluminum hold-down mounts to the deck lid filler.
- > Can be trimmed to fit any body style.

Kit also includes:

- > 2 Lightweight 3/8" diameter aluminum pins
- > 2 Scuff pads
- > 2 Flip-over style steel clips
- > 2 weld-on tabs
- > 4 Jam nuts

FOR EASY ACCESS to your fuel cell & other components.





NO OTHER PLASTICS can withstand the rigors of racing like Five Star's Exclusive High-impact Plastic components. Our videos at www.fivestarbodies.com and on our YouTube channel prove it!

PLASTIC BUMPER COVERS

- Most styles are available in black or white.
- Unsurpassed impact resistance and durability
- Smooth finish for excellent paint adhesion with Five Star Plastic Primer.

CHEVY IMPALA

PN 460-450BorW	Rear Bumper Cover (Black or White)	\$124.
PN 670-450-ID	Tail ID Graphics Kit	26.

FORD FUSION

PN 460-450BorW	Rear Bumper Cover (Black or White)	\$124.
PN 590-450-ID	Tail ID Graphics Kit	26.

DODGE CHARGER

PN 460-450BorW	Rear Bumper Cover (Black or White)	\$124.
PN 470-450-ID	Tail ID Graphics Kit	26.

TOYOTA CAMRY

PN 460-450BorW	Rear Bumper Cover (Black or White)	\$124.
PN 720-450-ID	Tail ID Graphics Kit	26.

TAIL ID GRAPHICS KITS

- Sandblast & chemical resistant
- Most aggressive adhesive
- Laminated protective coating



GRAPHICS KIT CONTENTS are subject to change.


USE FIVE STAR PLASTIC PRIMER: See page 14 for details.


REAR DECK MOUNTING KIT

PN 660-450-RDK	\$30.
----------------	-------

- For S2, Dirt Grand National & Straight-up bodies.
- Everything you need in one convenient kit!
- Deck Lid Bracket:
 - Has the proper crown to help meet template.
 - Includes receptacles for two 3/8" hood pins.
- Deck Lid Height Slider:
 - 3 1/2" of deck lid height adjustability
 - Two pieces slotted 3/4" square tubing
 - 3/8" hex bolts and nuts

SUPPORTS your rear bumper cover.
ALLOWS EASY ADJUSTMENT of rear spoiler height.





WINDOW BRACE KITS

Windshield: PN 564-6301 | Rear Window: PN 674-6101 | \$57. each

- Made of premium high strength, lightweight aluminum
- Low-gloss black powder-coated finish
- Slotted support flange saves weight & provides a clean look
- Foam-padded surface won't mar window
- Predrilled holes to mount adjustable bracing (PN 807-3, page 26) from the interior for added support to window. Shown at left.

EACH KIT INCLUDES three CNC-machined aluminum braces designed to the exact contour of your windows and mounting hardware.

WINDOW INSTALLATION KIT


PN 805 | \$14.

- 120 6-32 1/2" anodized flat head socket screws
- 16 6-32 3/4" anodized flat head socket screws for window bracing areas
- 136 6-32 nylon locknuts
- Long-arm hex key
- 9/64" drill bit

EACH KIT INCLUDES enough hardware to install a windshield, rear window and quarter windows.



Rivets will fracture polycarbonate!



THIS KIT IS A PERFECT MATCH for Five Star's pre-cut to fit windows.

OVERSIZE WINDSHIELDS

PN 564-6325-1	1/8" thick, mar-resistant	\$287.
PN 564-6335-1	3/16" thick, mar-resistant	344.

FIVE STAR'S OVERSIZE WINDOWS fit bodies made by all other manufacturers.

OVERSIZE REAR WINDOWS

PN 324-6111-1	.093", uncoated	\$144.
PN 564-6115-1	.093", mar-resistant	258.

TECH TIP:

- At tracks longer than 1/2 mile, you may be required to run a 3/16" windshield.
- Higher speeds can cause deflection of thinner windows that disrupt airflow.
- Thicker, 3/16" polycarbonate material adds rigidity and requires less bracing.

3/16" WINDSHIELDS

PN 564-6335-3B	ABC*	\$397.
PN 564-6335-3B	LMSC	369.

*ABC windshield has a black-out border.



HIGH SPEED COUNTERSINK BIT

PN 805-1 | 3/8" diameter steel bit, 1/4" shank | \$17.

- Use for countersinking installation screws into polycarbonate.
- Not required for pre-cut to fit, beveled and drilled windows.



WINDOW CLEANER

PN 843 | 19 oz. spray can | \$8.

- Special grease-cutting formula
- Foam action lifts dirt from polycarbonate windows without scratching.
- Non-streaking
- Leaves an anti-fogging/anti-static agent.

DOOR VENT WINDOWS

PN 000-6202 | set of 2 | \$26.

- Molded, mar-resistant polycarbonate windows
- The ultimate in aerodynamics



**“WINNING
NEVER**

Looked

SO GOOD.”



THE #1 WINDOW USED IN ALL MOTORSPORTS!

- Unrivalled Optical Quality on all Windows
- Permanent Anti-Fog standard
- 1st Rate Scratch - chemical - sandblast & abrasion resistance
- Clean cut, Drop-In ready Windows with Blacked-out border

ROOF LOCATING FIXTURE

809P | Durable and re-usable | \$541.

- > This time-saving device makes locating the roof on your chassis a simple process.
- > Will help mount your body to fit Referee specs.
- > Adjustable quarter panel arms
- > Includes roof brackets and door height blocks
- > Powder-coated finish
- > Ships via truck.
- > Comes with assembly instructions, which are available on-line at www.fivestarbodies.com. Click Downloads > Installation Tips & Videos

THE FASTEST AND EASIEST WAY to mount bodies.
Do it yourself and get a professional look!

Replacement parts

809-1P	Additional set of Roof Brackets, ABC	\$64.
809-5P	Additional set of Roof Brackets, LMSC	64.
809-HB	Additional set of door blocks (2)	19.



Step 1: Easily sets all four corners of the roof



Step 2: Adjustable arms hold quarter panels at proper height.



Step 3: Locks in rear axle for proper rear overhang.



Step 4: Locks in front wheels for proper front overhang.



MOCK-UP WINDSHIELDS

809-564-3	ABC (all styles)	\$75.
809-674-W	LMSC (all styles)	75.

- > Durable and re-usable!
- > Use with Roof Locating Fixture.
- > Perfectly drill your body panels to fit Five Star's pre-cut to fit, pre-drilled polycarbonate windshields.

MOCK-UP REAR WINDOWS

809-574-3	ABC except '08 Impala	\$61.
809-324-3	ABC '08 Impala only	61.
809-674-R	LMSC (all styles)	61.

- > Durable and re-usable!
- > Use with Roof Locating Fixture.
- > Perfectly drill your body panels to fit Five Star's pre-cut to fit, pre-drilled polycarbonate rear windows.




ABC BODY MOUNTING DVD

PN 801 | \$11.

- This DVD format video covers the complete body mounting process, step by step, and shows you why Five Star bodies are the easiest template-style bodies to install.
- While designed for ABC-style bodies, much of this video also applies to LMSC bodies.

MANY EXCERPTS FROM THIS VIDEO

are available at www.fivestarbodies.com
Click Downloads > Installation Tips
& Videos



INSTALLATION TUBING KIT

PN 819 | For body mounting, bracing & more! | \$34.

#	Shape	Diameter	Length	Wall thickness
3	round	3/8"	60"	.062"
2	round	1/2"	60"	.062"
3	square	1/2"	60"	.035"
3	square	3/4"	60"	.049"

55 FEET OF HARD TO FIND LIGHTWEIGHT TUBING
designed especially for racing!



BODY MOUNTING TABS

PN 807-4 | 25 pieces | \$17.

- enough tabs to install a complete body
- weld-on
- lightweight

USE FOR MOUNTING roof, cowl, deck lid, side bracing and more!



BODY INSTALLATION JIG


PN 810 | Shown on chassis | \$106.

- For mounting a body without a Roof Locating Fixture (which is the Five Star recommended mounting tool - see page 24).
- Designed to fit any chassis.
- Re-usable.



BRACKETS HOLD BODY PANELS firmly in place and allow you to adjust the fit of each body panel individually, without having the whole body move or shift! Just raise body panels to meet the template for perfect body alignment.

BODY BRACING




SPEEDWAY BODY BRACE KIT

PN 000-501 | 4 pieces | \$68.

- > Kit consists of (2) fender braces, (1) left quarter panel brace and (1) right quarter panel brace.
- > Five Star recommends bracing in these areas of the body for tracks 1/2 mile & larger.
- > Predrilled holes in flanges, in necessary locations, to mount your body bracing from the chassis
- > Lightweight & easy to install

STIFFENS FLEXIBLE AREAS of the body to maximize airflow around car.



FENDER TO NOSE

BACK-UP PLATE KIT

PN 000-24B | 4 pieces | \$20.

- > Kit includes (2) front and (2) rear plates (enough for both sides).
- > Predrilled for easy installation
- > Lightweight and long lasting

REINFORCE THE SEAM where the plastic fenders mount to the nose.




ROOF TO QUARTER PANEL

BACK-UP PLATE KIT

PN 000-27B | 2 pieces | \$7.


REINFORCE THE SEAMS where the rear greenhouse meets the quarter panels.



DOOR SUPPORT

PN 000-2102 | high quality aluminum | \$21.

- > ABC only.
- > Allows you to easily adjust your door to the proper width.



POLYCARBONATE BODY BRACES

PN 804 | Enough to complete one car | \$28.

- > 7 polycarbonate braces, 2 1/2" x 27" each
- > Fourteen 1" x 2" aluminum mounting tabs

STIFF ENOUGH TO SUPPORT body panels, yet will bend and spring back if hit.



ADJUSTABLE BODY BRACES


PN 807-3 | Package of 2 | \$32.

- > Pre-cut and threaded, ready to install
- > Affordable
- > Lightweight, ultra-strong
- > Anodized finish
- > Adjustable: 8" to 10 1/2"
- > Cadmium hardware

USE TO SUPPORT roof, deck lid filler, quarter panels, spoiler & more!
Allows fine adjustments to panels to meet templates & critical dimensions.

CUSTOM BRACING

CAN BE USED TO SUPPORT WINDOWS, ROOF, BODY PANELS, HOOD PIN BRACKETS, NOSE FLAPS, LINKAGES, AND MORE!



- Affordable
- Easy to install
- Up to 2½" of adjustability
- Light weight
- Strong
- Prevents pressure flexing
- Bolt on or hose clamp mount

ORDER AS MANY TUBING KITS OR END ASSEMBLIES AS NEEDED to custom brace your car!

ALUMINUM TUBING KIT

PN 807-1 | 2 pieces | \$17.

- tappable 7/16" x 3' hex rods
- cut to desired length & tap

THREADED END ASSEMBLIES

PN 807-2 | 6 pieces | \$19.

- 2 right hand thread ends
- 2 left hand thread ends
- 2 hose clamps.


1/4-20 TAP

PN 807LorR | Specify Left- or Right-hand thread | \$10.

- Extra-long shaft
- Re-usable



PN 860



PN 860A



TELESCOPING BODY BRACES

PN 860 | Steel, package of 6 | \$57.
PN 860A | Aluminum, package of 2 | 29.

- Fully adjustable up to 4 inches.
- Made of high quality light weight steel or aluminum.
- Can be used anywhere bracing is needed.
- Steel: 0.524 lb. Aluminum: 0.186 lb.

WING NUT KIT

PN 860W | For use with telescoping body braces | \$10.

- Allows fast, easy adjustments by hand
- Package of 6



IDEAL FOR ADJUSTING NOSE FLAPS in front of tires.



ABC

- Fits Offset/Straight Rail Chassis
- 47" roof height
- Maximum tread width: 66"
- Wheelbase: 101-106"
(108" with composite fenders)



ARCA West, Rocky Mountain Challenge, Airport Auto Broker Late Models,
Texas Super Racing, JEGS Allstar Tour, Big 8, Florida Promoters



DIMENSION GUIDELINES

A	NOSE FLAP HEIGHT (min): from bottom of nose to top of side flap***	13"
B	FRONT OVERHANG (max): on centerline	46"
C	SIDE WINDOW OPENING (min): at B-post	15"
D	REAR WINDOW LENGTH: on centerline**	31 1/2"
E	NOSE/SIDE PANEL CLEARANCE (min): from ground	4"
F	BUMPER COVER HEIGHT (max): from ground	15"
G	REAR OVERHANG (max): from base of spoiler at centerline to axle centerline	47"
H	ROOF HEIGHT: 10" back from windshield, on centerline	min 47** max 48**
I	FENDER HEIGHT: at rear	32 1/2**
J	DOOR HEIGHT (MIN): at rear	33**
K	QUARTER PANEL HEIGHT: at bumper cover/deck lid intersection (+/- 1/4")	34 1/2**
L	WINDSHIELD ANGLE: at center/at roof windshield post	26/30°
M	REAR DECK LENGTH (max): at center, from base of spoiler to rear window**	23 1/4"
N	FRONT OF ROOF to center of rear axle	57 1/2"
O	QUARTER PANEL HEIGHT: at back of wheel well opening	13"
P	BUMPER COVER HEIGHT: at base of spoiler, on centerline	34 7/8**
Q	BODY WIDTH (max): at wheel wells	79 1/2"
R	DOOR TO DOOR WIDTH: at A-posts and inside edges of doors, measured through car	68"
S	DOOR TO DOOR WIDTH: at B-posts and inside edges of doors, measured through car	67"
U	ROOF HEIGHT, rear: at centerline	45 1/2"
V	RIGHT DOOR TOP: to center of roll	3 1/2"
W	LEFT DOOR TOP: to center of roll	2 1/2"

* If Dimensions H, I, J, K or P are higher than the stated dimensions, all five must increase by the same amount.

** Must fit centerline template within allowable tolerance.

*** 13 inches is the height of the nose flap only. This dimension is not measured from the ground.




ROOF MOUNTING

1. Properly locate your roof using the dimensions in the chart at right.
2. Confirm that Dim. H, measured 10" back from the windshield, on the centerline) is 47-48".

NOTES:

1. DIM R is measured at the A-posts and the inside edges of the doors.
2. DIM S is measured at the B-posts and the inside edges of the doors.
3. Dimensions T front, T rear and U are taken at the edge of the roof (not on the ledge where the window sits) and are measured from the floor up.







LMSC

- Fits Late Model Stock perimeter chassis
- 48" roof height
- Maximum tread width: 66"
- Wheelbase: 101-106"



DIMENSION GUIDELINES

A	REAR OVERHANG (MAX): base of spoiler at centerline to axle centerline	52"
B	NOSE/SIDE PANEL CLEARANCE (MIN): from ground	4"
C	FRONT OVERHANG (MAX): on centerline	46"
D	BUMPER COVER HEIGHT (MAX): from ground	15 1/2"
E	NOSE HEIGHT (MIN): at nose & hood seam	23"
F	QUARTER PANEL/BUMPER COVER HEIGHT: at bumper cover/deck lid intersection	34 1/2"
G	ROOF HEIGHT, REAR (MIN): at center rear edge	45 3/4"
H	DOOR HEIGHT: at rear	33"
I	FRONT FENDER HEIGHT: at A-post (MAX)	33 1/2"
J	ROOF HEIGHT (MIN): 10" back from windshield, on centerline	48"
K	DECK LID LENGTH (MAX): at center, from base of spoiler to rear window	23 1/4"
L	REAR WINDOW LENGTH: on centerline	31 1/2"
M	SIDE WINDOW OPENING (APPROX): at B-post	15"
N	WINDSHIELD ANGLE: at center/at roof windshield post	26°
O	REAR OVERHANG (MAX): base of spoiler at centerline to axle centerline	47"
Q	BODY WIDTH (MAX): at wheel wells must not extend past tires	
R	DOOR TO DOOR WIDTH (measured through car): at A-posts & inside edges of doors	67"
S	DOOR TO DOOR WIDTH (MEASURED THROUGH CAR): at B-posts and inside edges of doors	65 1/2"
T	ROOF HEIGHT, CORNERS: at body lines, front	45 1/8"
T	ROOF HEIGHT, CORNERS: at body lines, rear	44 1/4"
U	ROOF HEIGHT, rear: at centerline	45 3/4"






ROOF MOUNTING

1. Properly locate your roof using the dimensions in the chart at right.
2. Confirm that Dim. J, measured 10" back from the windshield, on the centerline is 48".

NOTES:

1. DIM R is measured at the A-posts and the inside edges of the doors.
2. DIM S is measured at the B-posts and the inside edges of the doors.
3. The T and U dimensions are taken at the edge of the roof (not on the ledge where the window sits) and are measured from the floor up. Look for the scribe line indicators in the window bed for the locations to measure dimension T.





HEAVY DUTY CLECOS

PN 812	1/8" single spade, long, quantity 25	\$23.
PN 813	3/16" single spade, long, quantity 25	23.

SPECIFICALLY DESIGNED TO HOLD even if the hole becomes enlarged or elongated!

FIVE STAR CLECO PLIERS

PN 811	\$12.
--------	-------

DRILL BIT KIT

PN 806	Ideal for rivet and cleco installation.	\$15.
--------	---	-------

- Slightly larger diameter hole than a standard 1/8" or 3/16" bit.
- Short drill shaft makes drilling in tight places easier.
- Two 9/64" double-ended drill bits
- Two #30 double-ended drill bits

EXCLUSIVE AVEX-STYLE RIVETS

- These multi-grip rivets grip better than pop rivets because they expand in the hole to prevent loose body panels.
- Grip range of up to 1/2".
- Easier to remove: they do not spin while drilling.

	#/pkg.	small head	large head	Racer
3/16" white powder-coated	100	814W-100S	814W-100L	\$13.
3/16" black powder-coated	100	814B-100S	814B-100L	13.
1/8"	100	815-100S	815-100L	7.
3/16"	100	816-100S	816-100L	10.
3/16" Long Shank ①	100	816A-100S	N/A	15.
3/16" Peel-style ②	100	816P-100S	N/A	24.
3/16" white powder-coated	500	814W-500S	814W-500L	55.
3/16" black powder-coated	500	814B-500S	814B-500L	55.
1/8"	500	815-500S	815-500L	29.
3/16"	500	816-500S	816-500L	43.

① Use Long Shank rivets for fastening fender, door and windshield post together.

② Peel Rivets do not require back-up washers. Use them in areas where there is no room to position a washer.

EXCLUSIVE AVEX-STYLE WASHERS

Aluminum back-up washers	size	quantity	PN	Racer
standard	1/8"	100	817-100A	\$4.
standard	3/16"	100	818-100A	4.
large	3/16"	100	818-100AL	5.
standard	1/8"	500	817-500A	14.
standard	3/16"	500	818-500A	16.
large	3/16"	500	818-500AL	17.

ORDERING INFO

TERMS AND CONDITIONS

Five Star Stock Car Bodies are available throughout North America from our nationwide dealer network. If there is no dealer in your area, purchases can be made directly from Five Star. If you have any questions, we would be happy to answer them for you!

DEALER DIRECT ORDERS: We encourage all customers to buy from our stocking dealers. If the dealer in your area knows the body style you are running, he will stock the items you need. Also, through our dealer incentives, many times he can SAVE you money on shipping charges. Call for the dealer nearest you.

FACTORY ORDERS: Most orders are shipped the same day they are placed. Our telephone hours are 8:00 am to 5:00 pm Central time, Monday through Friday, evenings and weekends by chance. There is no crating or packaging charge on motor freight orders over \$150.⁰⁰. A \$20.⁰⁰ packaging fee will be charged on motor freight orders under \$150.⁰⁰.

SHIPPING: All orders are shipped FCA Five Star Fabricating, Twin Lakes, Wisconsin freight collect. All truck freight orders must be pre-paid with credit card, cashier's check, money order, bank wire or certified check. UPS orders may be pre-paid with VISA, Mastercard or Discover, or can be shipped COD/cash.

RETURNS: Unused parts may be returned provided the items are in new, undamaged condition (no dents, scrapes, holes drilled, rust, etc.). Returned items must be packaged with care and shipped freight pre-paid to Five Star Fabricating, Inc., 36728 89th Street, Twin Lakes, WI 53181. A 20% re-stocking charge applies on all returns. No returns on special order items.

WARRANTY: Due to the intended use of these products in racing, Five Star Fabricating, Inc. makes no statement of warranty or guarantee, written or oral, expressed or implied. Once the part is installed, the purchaser must assume all responsibility arising from malfunction, damage or misuse. No employee or officer of Five Star Fabricating, Inc. or its distributors has any authority to make statements contrary to these terms and conditions.

Prices are subject to change without notice.

PAYMENT OPTIONS

PAYMENT BY CREDIT CARD: Five Star Race Car Bodies accepts VISA, MasterCard and Discover. Your credit card will be billed for the full amount of the order upon receipt and will ship immediately. All orders shipped other than UPS Ground Services must be pre-paid in this manner.



PAYMENT BY CASHIER'S CHECK/MONEY ORDER: Five Star Race Car Bodies accepts Cashier's Checks and Money Orders from any US-based bank. Your order will ship immediately following our receipt of your payment. **We do not accept personal or company checks under any circumstances.**

UPS SHIPPING

Most component and accessory orders can be shipped via UPS. These items include (but are not limited to) noses, bumper covers, aluminum & steel doors, spoilers, formed steel bumpers, installation kits and rivets.

UPS GROUND: Shipments sent via UPS Ground will deliver before the end of the business day by a time pre-determined by your zip code. This varies from one to five business days. Please contact our Customer Service Department for actual UPS shipping time.

UPS NEXT DAY AIR[®]: Shipments sent via UPS Next Day Air will deliver before the end of the next business day following shipment.

UPS NEXT DAY AIR SATURDAY DELIVERY[®]: Shipments sent via UPS Next Day Air Saturday Delivery will deliver by 3:30 pm (ET) Saturday.

UPS SECOND DAY[®]: Shipments sent via UPS Second Day will deliver before the end of the second business day following shipment.

UPS THREE DAY SELECT[®]: Shipments sent via UPS Three Day Select will deliver before the end of the third business day following shipment.

① Five Star Race Car Bodies uses dimensional shipping weight on all air shipments which many times varies from actual component weight. Due to the extreme costs associated with shipping items by air, we encourage you to plan accordingly when ordering components for your car. Please contact our Customer Service Department with inquiries regarding your special shipping requirements.

TRUCK SHIPPING

Orders too large, too heavy or requiring shipment in three or more UPS boxes must be shipped via truck freight. These parts include (but are not limited to) complete bodies, hoods, roofs, quarter panels and some fenders.

All truck orders must be shipped to a commercial address. Residential deliveries will incur a minimum \$45.00 surcharge. Residential address implies that there is a home on the property which is, therefore, not zoned as a business. Truck shipping times vary with delivery location and carrier. Due to the expense of truck shipping, it is imperative that you plan accordingly when purchasing components for your car.

NOTE: Five Star Race Car Bodies uses actual shipping weight on all truck shipments which many times varies from actual component weight. Please contact our Customer Service Department for inquiries regarding truck shipments.

FIND YOUR CLOSEST FIVE STAR DEALER by clicking "Dealers" at www.fivestarbodies.com



FIVE STAR DECAL SETS

PN Decal-Jumbo	sheet size 48" x 16"	\$8.
PN Decal-Skull	sheet size 41" x 31"	12.

- Sandblast & chemical resistant
- Laminated protective coating
- Longest lasting on pavement or dirt



OFFICIAL FIVE STAR T-SHIRTS

PN 835size	specify size when ordering	\$16.
------------	----------------------------	-------

- Heavyweight 100% cotton
- Pre-shrunk
- Printed on both sides
- Sizes from Small to XXX-Large

DESIGNED TO WIN!





FIVE STAR RACE CAR BODIES
P.O. Box 700 • Twin Lakes, WI 53181

2012 FIVE STAR PRODUCT LINE CATALOGS

Contact your local dealer or call
Five Star at 262.877.2171 To help select the
catalog that is right for you!



Catalog Distributed by:



DESIGNED
TO
WIN!